


# FD 450













Kit Mulching

		<b>HP-kW</b>		 L (US Gal)	 DIFF. LOCK	 HYDROSTATIC	 HYDRAULIC	 HYDRAULIC	 ELECTRIC		 kg (lb)	
<b>FD 450</b>	7220 Prof. Series B&S	HP 18 (*22) kW 13.2	656/2	17 (4.5)	✓	0 - 11 km/h (0 - 6.8 mph)	450 L 12.8 (US bu)	30 cm (11.8 in)	25...90 mm (1.0...3.5 in)	113 cm (44 in)	450 (992)	H <sup>1</sup> 194 cm H 146 cm D 119 cm W 268 cm

# FD 500
















		HP-kW		 L (US Gal)	 DIFF. LOCK					 kg (lb)		
<b>FD 500</b>	D 722 E4B Kubota STAGE 5	HP 18 - kW 13.2	722/3	Diesel 22 (5.8)	✓	0 - 13 km/h (0 - 8 mph)	700 L 19.8 (US bu)	32 cm (12.5 in)	25....90 mm (0.9...3.5 in)	113 cm (44.4 in)	630 (1388)	H <sup>1</sup> 193 cm H 151 cm D 119 cm W 271 cm



# FD 900

## 4WD














												
		HP-kW	CC	L (US Gal)	DIFF. LOCK	HYDROSTATIC	HYDRAULIC	HYDRAULIC	HYDRAULIC		kg (lb)	
<b>FD 900 4WD</b>	3TNV80F Yanmar STAGE 5	HP 25 - kW 18.4	1267/3	Diesel 31 (8.2)	✓	0 - 15 km/h (0 - 9 mph)	750 L 21.3 (US bu)	37 cm (14.6 in)	20...100 mm (0.8...3.9 in)	126 cm (49.6 in)	980 (2160)	H <sup>1</sup> 207 cm H 166 cm D 133 cm W 291 cm

# FD 13.09

## 4WD














		HP-kW		 L (US Gal)	 DIFF. LOCK	 HYDROSTATIC	 HYDRAULIC	 HYDRAULIC	 HYDRAULIC	 HYDRAULIC	 kg (lb)	 H <sup>1</sup> H <sup>2</sup> D W
<b>FD 13.09 4WD</b>	3TNV82A Yanmar STAGE 5	HP 26 - kW 18.9	1331/3	Diesel 23 (6.0)	✓	0 - 15 km/h (0 - 9.3 mph)	900 L 25.5 (US bu)	31 cm (12 in)	20...100 mm (0.8...3.9 in)	132 cm (52 in)	1230 (2712)	H <sup>1</sup> 213cm H 175 cm D 141 cm W 325 cm
									20...120 mm (0.8...4.7 in)	155 cm (61 in)		1310 (2888)



# FD 2200


## 4WD














		HP-kW		 L (US Gal)	 DIFF. LOCK	 HYDROSTATIC	 HYDRAULIC	 HYDRAULIC			 kg (lb)	
<b>FD 2200 4WD</b>	3TNV88C Yanmar STAGE 5	HP 37 kW 27.5	1642/3	Diesel <b>50 (13.2)</b>	✓	0 - 20 km/h (0 - 12.4 mph)	1200 L 34 (US bu)	62 cm (24 in)	25...110 mm (0.9...4.3 in)	155 cm (61 in)	1468 (3236)	H <sup>1</sup> 243cm H 183 cm D 162 cm W 347 cm

# FD 2200 TS

## 4WD



		HP-kW		 L (US Gal)	 DIFF. LOCK	 HYDROSTATIC	 HYDRAULIC	 HYDRAULIC	 HYDRAULIC	 HYDRAULIC	 kg (lb)	
<b>FD 2200</b> TOP SCORER <b>4WD</b>	4TNV88C Yanmar STAGE 5	HP 47 kW 34.3	2190/4	Diesel <b>50 (13.2)</b>	✓	0 - 21 km/h (0 - 13.6 mph)	1400 L 39.7 (US bu)	60 cm (24 in)	20...120 mm (0.8...4.7 in)	155 cm (61 in)	1656 (3651)	H <sup>1</sup> 231cm H 199 cm D 162 cm W 364 cm
										180 cm (71 in)	1705 (3758)	H <sup>1</sup> 231cm H 199 cm D 188 cm W 369 cm